

Adapt logo on a 24mm label and transfer to Brother PT-E550W (Windows® only)

For single printers via a USB cable

(For transferring templates to multiple Brother PT-E550W printers, we recommend using the instructions 'For multiple printers via a network' on page 5)

Important:

Follow the steps of the instructions in order and do not use the USB cable yet to connect the Brother PT-E550W printer to your computer. This is not performed until step 2.

You can adapt a standard logo on a 24mm label as follows:


NB: *To transfer the template, the printer must have the printer drivers installed and be connected to a Windows PC via USB. If this has already been completed, you can skip steps 1 and 2.*

1. Download the PT-E550W printer driver compatible with your Windows operating system:
https://support.brother.com/g/b/downloadtop.aspx?c=eu_ot&lang=en&prod=e550weuk
2. Follow the instructions in the installation assistant to install the printer driver.
During the installation process, you will be asked to switch the PT-E550W on and connect it to your Windows computer via USB.
3. Download and install the P-touch Editor software to your Windows PC.
https://support.brother.com/g/b/downloadend.aspx?c=eu_ot&lang=en&prod=e550weuk&os=10011&dlid=dlfp100377_000&flang=178&type3=296&dlang=true
4. Open the desired 24mm label template (lbx file) to which you wish to adapt your logo in P-touch Editor.
The label templates are in the '24mm Label' folder inside 'GT900CH_PTE550W_SST' installation package from www.brother.ch.

Important: Only change the logo on the template. Any alterations or changes to other elements, their properties or their positions may produce undesired results when subsequently printing from a BEHA-Amprobe GT-900/ GT-900CH!

5. Right click on the logo and select 'Change Image...'


Adapt logo on a 24mm label and transfer to Brother PT-E550W (Windows® only)




6. Insert the desired image file with the replacement logo.

NB: *To ensure a high-quality print, we do not recommend using colour or greyscale logos. You will generally get the best printing results with a black and white logo.*

7. Adjust the position and size of the inserted logo to fit the space available. Double-click on the logo (or right-click → Properties...), and go to the 'Position' tab to rotate the logo.




The logo should stay within the dotted guideline shown in P-touch Editor and should not overlap with any other text or graphics elements on the label.




8. Use the menu bar to save the altered label to your computer:
File → Save as...
9. Now choose the following from the menu bar:
File → Transfer Template → Transfer

Adapt logo on a 24mm label and transfer to Brother PT-E550W (Windows® only)




Click the **Yes** button if you see this pop-up window




10. The P-touch Transfer Manager will open.

- (1) Select Brother PT-E550W as the printer
- (2) Select 'Configuration' from the left tree menu
- (3) Make sure that the correct key has been assigned (see details below)



Right-click to change the assigned key:



- DE_24mmTZe_Maxi → Key 5
- DE_24mmTZe_Maxi_FLAG → Key 6
- FR_24mmTZe_Maxi → Key 11
- FR_24mmTZe_Maxi_FLAG → Key 12
- EN_24mmTZe_Maxi → Key 17
- EN_24mmTZe_Maxi_FLAG → Key 18

Adapt logo on a 24mm label and transfer to Brother PT-E550W (Windows® only)



11. Begin transferring the label template to the printer by clicking the 'Save Transfer File' button



12. Wait until the transfer is complete and the display on the PT-E550W has exited transfer mode.

The adjusted label should now be stored in the printer's memory, and you can check that it is showing correctly with a test print.

For multiple printers via a network


1. Download and install the P-touch Editor software to your Windows PC.
https://support.brother.com/g/b/downloadend.aspx?c=eu_ot&lang=en&prod=e550weuk&os=10011&dldid=dlfp100377_000&flang=178&type3=296&dlang=true

2. Open the desired 24mm label template (lbx file) to which you wish to adapt your logo in P-touch Editor.

The label templates are in the '24mm Label' folder inside 'GT900CH_PTE550W_SST' installation package from www.brother.ch.

Important: Only change the logo on the template. Any alterations or changes to other elements, their properties or their positions may produce undesired results when subsequently printing from a BEHA-Amprobe GT-900/ GT-900CH!

3. Right click on the logo and select 'Change Image...'




4. Insert the desired image file with the replacement logo.


NB: *To ensure a high-quality print, we do not recommend using colour or greyscale logos. You will generally get the best printing results with a black and white logo.*

5. Adjust the position and size of the inserted logo to fit the space available.
Double-click on the logo (or right-click → Properties...) and go to the 'Position' tab to rotate the logo.

Adapt logo on a 24mm label and transfer to Brother PT-E550W (Windows® only)




The logo should stay within the dotted guideline shown in P-touch Editor and should not overlap with any other text or graphics elements on the label.




6. Use the menu bar to save the altered label to your computer:
File → Save as...

7. Now choose the following from the menu bar:
File → Transfer Template → Transfer




Click the **Yes** button if you see this pop-up window

Adapt logo on a 24mm label and transfer to Brother PT-E550W (Windows® only)




8. The P-touch Transfer Manager will open.

- (1) Select Brother PT-E550W as the printer
- (2) Select 'Configuration' from the left tree menu
- (3) Make sure that the correct key has been assigned (see details below)



Right-click to change the assigned key:




- DE_24mmTZe_Maxi → Key 5
- DE_24mmTZe_Maxi_FLAG → Key 6
- FR_24mmTZe_Maxi → Key 11
- FR_24mmTZe_Maxi_FLAG → Key 12
- EN_24mmTZe_Maxi → Key 17
- EN_24mmTZe_Maxi_FLAG → Key 18



9. Now make sure the template is still selected and choose the following from the menu bar:
File → Save transfer file...

Adapt logo on a 24mm label and transfer to Brother PT-E550W (Windows® only)



10. Store the BLF file for the upcoming transfer via a network.
11. Brother BRAdmin Professional software (Windows only) is used for transfers to the Brother PT-E550W.
Download and install BRAdmin on a Windows PC:
https://support.brother.com/g/b/downloadend.aspx?c=eu_ot&lang=en&prod=e550weuk&os=10011&dlid=dlfp100044_000&flang=178&type3=302
12. Once you launch BRAdmin, printers available on the network will be listed (if necessary, you can search networks again by pressing F4).
13. Hold down CTRL and click the target devices to select them.
14. Right-click on one of the selected printers to select **'Load Firmware (Manual)' → TFTP PUT → Search...**
15. Select the BLF file saved under step 10 and press send.
Wait until the transfer is complete and the screen on the Brother PT-E550W returns to the standard display.

The adjusted label should now be stored in the printer's memory, and you can check that it is showing correctly with a test print.